


INPOL® Amplifiers pure class A

Price



InPol Remix mkII, integrated amplifier
2 x 20W@ 8 Ohm, 2 x 35W@ 4 Ohm
Pure class A - double INPOL technology - fully balanced - digital Bias/gain set technology
4 line inputs RCA and 1 balanced XLR, pre output inverting and non-inverting,
S/PDIF and USB "B" type port digital inputs optional (**HiDac MK2** required)
Dimensions: unit 37,8 X 28 X 17 cm package 45 x 40 x 30 cm Weight: net 13 Kg, gross 14 Kg
Top cover finish: matt metallic black € 4,200
Top cover special finish: lacquered white, black , red € 4,570



TT Anniversary, integrated amplifier
2 x 35W@ 8 Ohm - Pure class A - INPOL technology
Purely resistive optical/relays remote controlled volume - balanced inputs - remote controlled input selector
4 line inputs RCA and 1 balanced XLR, sub out
Dimensions: unit 48 x45 30 cm, package 59 x 59 x 30 cm Weight: net 42 Kg, gross 49 Kg
Available finishes: padouk wood or black side panels € 5,400

TT Remote Reference, integrated amplifier
2 x 35W@ 8 Ohm- Pure class A - INPOL technology
Purely resistive optical/relays remote controlled volume
5 line inputs RCA, 1 tape out
Dimensions: unit 48 x45 30 cm, package 59 x 59 x 30 cm Weight: net 42 Kg, gross 49 Kg
Available finishes: padouk wood or black side panels € 4,960



InPol2, integrated amplifier
2 x 45W@ 8 Ohm - Pure class A - double INPOL technology - fully balanced
Purely resistive relays remote controlled volume
5 line inputs RCA and 2 balanced XLR, sub out
Dimensions: unit 43 x 53 x 19,5 cm, package 80 x 60 x 35 cm Weight: net 38Kg, gross 42 Kg
Available finishes: padouk wood or black front panel € 7,800



InPol Heritage, integrated amplifier without compromises
2 x 80W@ 8 Ohm, 2 x 130W@ 4 Ohm
Pure class A - double INPOL technology - fully balanced - digital Bias/gain set technology
Purely resistive relays remote controlled volume
4 line inputs RCA and 2 balanced XLR, pre output inverting and non-inverting,
S/PDIF and USB "B" type port digital inputs optional (**HiDac MK2** required)
Dimensions: unit 40x 55 x 22 cm, package 60 x 80 x 35 cm Weight: net 58 Kg, gross 65 Kg
Available finishes: see page 4 € 12,280



InPower MK2, monoblock power amplifier
120W @ 8 Ohm - Pure class A - double INPOL technology - intrinsically balanced design
Accurate power supply inductive-capacitance, Adjustable gain by remote control
1 line input RCA and 1 balanced XLR
Dimensions (each): unit 32x 55 x 27 cm, package 40 x 60 x 40 cm Weight: net 38 Kg, gross 45 Kg
Available finishes: black and grey, matt metallic (other finishes available on request)each € 9,016



Adrenalin, monoblock power amplifier
200W @ 8 Ohm - Pure class A - double INPOL technology - intrinsically balanced design
Accurate power supply inductive-capacitance
Tubes: 2x ECC83 12AX7 SOVTEK, 1x 6H30 SOVTEK
1 line inputs RCA and 1 balanced XLR
Dimensions (each): unit 30 x 70 x 45 cm, package 35 x 80 x 50 cm Weight: net 80 Kg, gross 88 Kg
Available finishes: black and grey, matt metallic each € 17,150

NON-INPOL Amplifiers

Price



Classic One MkIII, integrated amplifier
2 x 70W@ 8 Ohm - class A / AB - Hybrid technology
4 line inputs RCA and 1 balanced XLR, purely resistive volume control
Dimensions: unit 23 x 50 x 14 cm, package 60 x 30 x 22 cm - Weight: net 13 Kg, gross 14 Kg
Available finishes: matt black top panel and steel-brushed case, padouk wood or black front panel..... € 2,200



Classic Remix, integrated amplifier
2 x 70W@ 8 Ohm - class A / AB - Hybrid technology - fully balanced
3 line inputs RCA and 1 balanced XLR, pre out
S/PDIF and USB "B" type port digital inputs optional (**HiDac/HiDac MK2** required)
Dimensions: unit 37,8 x 28 x 17 cm, package 45 x 40 x 30 cm - Weight: net 14 Kg, gross 17,5 Kg
Top cover finish: matt metallic black € 2,600
Top cover special finish: lacquered white, black, red and zebrawood..... € 2,970



Logos MK2, integrated amplifier
2 x 110W@ 8 Ohm - class A / AB - Hybrid technology
5 line inputs RCA and 2 balanced XLR, pre out,
S/PDIF and USB digital inputs optional (**HiDac** required)
Purely resistive remote controlled volume control
Dimensions: unit 43 x 42 x 17 cm, package 60 x 60 x 30 cm - Weight: net 28 Kg, gross 29 Kg
Available finishes: padouk wood or black front panel..... € 3,960



Kratos, integrated amplifier
2 x 200WRMS@ 8 Ohm - 2 x 350WRMS @ 4 Ohm
2 balanced XRL line, 5 unbalanced RCA line, 1 balanced XRL direct to the power amp
Hidak Mk2 and Phono stage RIAA for MM/MC *optional*
1 Pre out stereo unbalanced RCA - 1 Pre out stereo balanced XLR
Dimensions: unit 43 x 53 x 19,5 cm, package 60 x 80 x 35 cm - Weight: net 40 Kg, gross 45 Kg
Available finishes: padouk wood or black front panel..... € 7,800

Available soon

AV Amplifiers



CinemaX, 5+1 integrated amplifier
5 x 120W @ 8 Ohm - 2 x 450W in stereo bridge mode - 6 class A tubes
Fully balanced preamp stages
Sub out line, pink noise generator
Dimensions: unit 43 x 53 x 19,5 cm, package 80 x 60 x 35 cm - Weight: net 33 Kg, gross 39 Kg
Available finishes: wood or black front panel..... € 6,630

Class D Amplifiers



AmpliD, stereo power amplifier
2 x 70W@ 8 Ohm - class D - fully balanced
1 line inputs RCA and 1 balanced XLR.
Dimensions: unit 20x 22 x 7 cm, package 30 x 40 x 17 cm - Weight: net 5 Kg, gross 5,5 Kg
Available finishes: grey or black with grey buttons..... € 1,370

Preamplifier

Price



Synapse, stereo preamplifier

Two-stage construction - intrinsically balanced design - original volume block, tubes 4 x 6H30
Input: 3 Balanced XRL, 3 linea RCA
Output: 2 Balanced XRL,

Dimensions: unit 43 x 53 x 27 cm, package 50 x 63 x 30cm - Weight: net 23 Kg, gross 33 Kg

Available finishes: matt metallic grey..... € 19,000



New InTheGroove, MM/MC phono stage

Ultra low noise design - two-stage construction
Selectable gain - Input load selectable - balanced output

Dimensions: unit 26 x 22 x 7 cm, package 30 x 40 x 17cm - Weight: net 3,5 Kg, gross 4,5 Kg

Available finishes: silver or black with silver buttons..... € 1,430

Digital Sources



Converto MK2 D/A, converter, preamplifier and headphone amplifier

32 bit/384KHz with DSD and I2S - class A - fully balanced
S/PDIF inputs - USB "B" type port digital inputs

Dimensions: unit 20 x 22 x 7 cm, package 30 x 30 x 17cm - Weight: net 2 Kg, gross 2,5 Kg

Available finishes: silver or black with silver buttons..... € 1,500



Musiteca Music server

22" wide touch monitor - built-in hard disk 1T - built-in transport - 24 bit/192KHz D/A class A, tube - fully balanced
Analog output: 1 Balanced XRL, 1 unbalanced RCA
Digital output: 1 Balanced XRL, 1 unbalanced RCA

Dimensions: unit 60 x 35 x 42 cm, package 50 x 70 x 50 cm - Weight: net 25 Kg, gross 37 Kg

Available finishes: matt metallic grey..... € 6,830



Digit CD Player

D/A conversion: Dual differential 24-bit delta-sigma DACs
Analog stage: Dual, fully balanced, tube, class A, zero feedback
Conversion rate: up to 192 KHz
Max audio output level: 2V, fixed

Output- 1 balanced XRL, 1 unbalanced RCA. Digital outputs: Coaxial S/PDIF

Dimensions: unit 23 x 46 x 9 cm, package 60 x 30 x 22 cm - Weight: net 9 Kg, gross 10 Kg

Available finishes: matt black top panel and Steel-brushed case..... € 2,830

Headphone Amplifiers

Price



Aurium, headphone amplifier

2 x 3,6W @ 16 Ohm - output impedance <1Ohm - Class A tube amplification

Dimensions: unit 20 x 22 x 9 cm, package 30 x 30 x 17 cm - Weight: net 3 Kg, gross 3,5 Kg

Available finishes: silver or black with silver buttons..... € 1,143



InPol EAR, headphone amplifier and preamplifier

2 x 8W@ 32 Ohm — Pure class A — double INPOL technology — fully balanced
4 line inputs RCA and balanced XLR, pre output inverting and non inverting
S/PDIF and USB "B" type port digital inputs optional (**HiDac MK2** required)

Dimensions: unit 37,8 x 28 x 17 cm, package 40 x 40 x 30 cm - Weight: net 12 Kg, gross 15 Kg

Top cover finish: matt metallic black..... € 4,000

Top cover finish: lacquered white, black, red and zebra wood..... € 4,370

Optionals

HiDac D/A converter built-in

Pcb with converter D/A 24bit/192KHz to be integrated
HiFace adapter required for Mac OS 10.09 up to the current version

Available for Ethos, Logos MK2, ClassicRemix..... € 515

HiDac MK2 D/A converter built-in

Pcb with converter D/A 32bit/384KHz with DSD and I2S codec to be integrated
S/PDIF inputs - USB "B" type port digital inputs

Available for Classic Remix, InPol Remix MKII, Inpol Heritage, Inpol EAR..... € 525

Finishes

Classic One

Inpol2, CinemaX, Logos


T.T



padouk wood or black panel



padouk wood or black panel



padouk wood or black panel

Inpol Remix MKII, Inpol EAR, Classic Remix



matt metallic black

lacquered white

lacquered black

lacquered red

zebrawood

Inpol Heritage



black padouk



black black



white padouk



white black

Aurium, Converto



gray



black gray



all black



black red

InTheGroove



gray



black gray